

Pumpenliste/List of pumps

P1	PUTA02854.000400	4.0 kW
P2	PUTA030300-03108	1.8 kW
P3	EPUM000300-01402	1.5 kW
P4-P6	PUTA000300-00817	0.37kW
P7-P8	PUTA006900-00532	0.75kW
P9	03.025.0006.0300	4.0 kW
P10	PUTA030300-03108	1.8 kW
P11-P13	PUTA000300-00817	0.37kW
P14	PUTA006900-00532	0.75kW
P15	PUD0225600-03311	0.01kW
P16	PUD0059300-00215	0.09kW
P17	CE-25-00-02-30-0	4.0 kW
P18	PUTA02854.001100	0.045kW

Bereich der Vorschubgeschwindigkeit: 0.1-0.3m/min
Range of conveyor speed: 0.1-0.3m/min

VS_A ca. 0.5m/min
Conveyor speed approx. 0.5m/min



Flex-Transport:


Arbeitsrichtung/Working Direction: R - L
Arbeitsbreite/Working Width : 650mm
Plattenformat/ Panel size max.: 610mmx610mm
min.: 180mmx180mm
Plattendicke/Panel thickness max.: 3.6mm
min.: 0.05mm +2x 17.5µm Cu

Com.-No.: 21-07-305
46-07-306
78-07-307

400V/50Hz

geprüft VK	Werk	2007	Date	Name	File	203687
		Sign.	08.11	Oeste		
		Chk.				
		Norm			1:25	
						
Ihr Partner für perfekte Leiterplattentechnik						
<h1>21-20368-7-A1</h1>						
<h1>Etch-Strip-Line</h1>						





Membranpumpe I, Y22, für